



GADDY EYE CLINIC
Gene Gaddy, M.D.

10051 Lorraine Road, Ste. A
Gulfport, Mississippi 39503
(228) 539-7762

**CATARACT SURGERY
PRE-OP INSTRUCTIONS**


Do not eat or drink ANYTHING after 12:30 a.m. (midnight) night before your surgery.

Discontinue taking aspirin, aspirin products, PLAVIX, COUMADIN, VITAMIN E, or any blood-thinning agents four (4) days prior to surgery and two (2) days after surgery. You may need to obtain your prescribing physician's permission to discontinue.

Three (3) days prior to surgery, use HIBICLENSE CLEANER to wash your face and eyelids. You will find this at any pharmacy over the counter. Do not get the soap in your eye. Do not use any lotions, creams, colognes, or cosmetics on your face the morning of surgery.



*One (1) week prior to surgery, begin putting one (1) drop of ILEVRO (an anti-inflammatory) in the surgical eye one (1) time per day. Also, the morning of surgery, put one (1) drop in the surgical eye when you wake up.



VIGAMOX

The night before surgery, put one (1) drop of (an antibiotic) in the surgical eye before bedtime, and one (1) drop the morning of surgery.

You WILL NOT BE ABLE TO DRIVE HOME after your surgery, so please make transportation arrangements.

Bring your post-op kit with drops: VIGAMOX, ILEVRO, and DUREZOL with you when you come to the office for your appointment on the day after your surgery.

* DUREZOL will be used after surgery.

Discontinue taking Proscar and Flomax two (2) weeks prior to surgery.

Do not take your usual medications the morning of surgery, unless the anesthetist has told you to take them. (If you are on heart or blood pressure medications, they will tell you to take them with just a sip of water.)

Please do not wear any jewelry, cosmetics, or nail polish. You may wear dentures, spectacles, and hearing aids.

Dr. Gene Gaddy

Surgery Eye Drop Schedule

Right / Left eye

	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Surgery Day 7
Pre-Op							
Ilevro	○	○	○	○	○	○	○ AM
Vigamox						○ PM	○ AM

** Each ○ represents how many times a day per drop.

	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Post Op							
Ilevro	○	○	○	○	○	○	○
Durezol	○○	○○	○○	○○	○○	○○	○○
Vigamox	○○○○	○○○○	○○○○	○○○○	○○○○	○○○○	○○○○

	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14
Post Op							
Ilevro	○	○	○	○	○	○	○
Durezol	○○	○○	○○	○○	○○	○○	○○
Vigamox	○○○○	○○○○	○○○○	○○○○	○○○○	○○○○	○○○○

	Day 15	Day 16	Day 17	Day 18	Day 19	Day 20	Day 21
Post Op							
Ilevro	○	○	○	○	○	○	○
Durezol	○○	○○	○○	○○	○○	○○	○○

	Day 22	Day 23	Day 24	Day 25	Day 26	Day 27	Day 28
Post Op							
Ilevro	○	○	○	○	○	○	○
Durezol	○○	○○	○○	○○	○○	○○	○○

*PLEASE WAIT 5 MINUTES BETWEEN EACH DROP. SHAKE WELL BEFORE USE.

**USE ARTIFICIAL TEARS AS NEEDED FOR IRRITATION AFTER SURGERY.